# **Peekaboo Zippy Pouch**

30" trim

# **Materials:**

- A. (3) Coordinating Fat Quarters-
  - 1 for Main Fabric
  - 1 for Lining Fabric
  - 1 for Trims
- B. Stabilizer

Decor Bond (Pellon) or similar product 1/4 of a Yard (45" wide)


C. Stabilizer

**SF 101** 

1/4 of a Yard

- D. 10 gauge vinyl 1/4th yard
- E. (2) Zippers (11" and 11")
- F. Clover mini clips

#### The Anatomy of the Peekaboo Zippy Pouch



## **Cut Fabric:**

#### **From Main Print**

Cut (2) 12.5" x 8.75"

#### **From Lining Print**

Cut (2) 12.5" x 8.75"

#### **From Stabilizer**

Cut (2) 12.5" x 8.75" Decor Bond

Cut (2) 12.5" x 8.75" SF 101

#### Vinyl

Cut (1) 12.5" x 4.5"

Wait to use the "round corner pattern piece" on vinyl until step #11

#### **From Trim Fabric**

Cut (3) 12.5" x 3" -

(2)This is the Peekaboo Pocket under zipper (uz) trim (1)This is for over the zipper (uz)

Cut (4) Zipper ends 3.25" x 2"

Cut (1)31" x 2.25"


# Round Corner Pattern Piece

Round the bottom edges of both outer and lining of the main pouch piece-Round out the vinyl piece later in step #11

Not meant as a "to scale" pattern piece

#### **Directions:**

1. Adhere Decor Bond to both backsides of the Main Fabric and adhere SF101 to the pouch Lining Pieces




- 3. Sew the zipper ends to the zipper: each end of the zipper: Place the zipper end rs down just beyond the zipper stop at both ends. Sew on the 1/2" fold line. Turn the zipper end to the backside of your zipper matching fold to fold, pin in place if needed- then flip over and top stitch at 1/4".
- 4. Press the edges of both "under zipper" trims inward at a 1/2"-do the same for the "over zipper" AND also press in half lengthwise.



#### 5. Create a Vinyl "sandwich"


lay uz trim #1 ws down- then lay the vinyl piece down, lining up the top edges and side edges. Lastly lay down uz trim #2 rs down on the vinyl, ws side facing up.




Line up top edges and side edges

### 6. Sew the Vinyl sandwich together.

You can use mini clips to hold your sandwich in place if you like... Sew through all 3 layers of fabric at your top pressed line




Finger press both sides up ws together Top Stitch the lower edge of the uz trim at about an 1/8th inch




# 7. Insert an 11" zipper into the Peekaboo Pouch

ANOTHER sandwich, I hope you're not full!! Place zipper between the uz trims both 1/2" folds should be lined up on either side of the zipper just below the teeth. Top stitch through the sandwich just under the zipper teeth.




Now add the oz trim. Place the trim rs down lining up the first fold line just a little above the zipper teeth. Pin and sew along the crease line. Fold The trim to the back of the zipper, place the fold just above the teeth on the back, pin in place-top stitch just above the zipper teeth-sewing through all 3 layers.

Sew close to that 1/2" fold line




8. Attaching the peekaboo pocket to the outer main pouch Measure 6" up from the bottom of the main outer pouch- mark this spot and line up the top folded edge to that 6" mark AND line up the sides of the pocket with the main outer pouch piece, pin in place and top stitch.




9. Attach zipper to the main outer and lining pouch pieces.


Take the main outer pouch piece with the peekaboo pocket- place it rs up- (yep, that's right another sandwich) -place the zipper, this time ws up (zipper pull on your left)-carefully lining up the top edge of the zipper (Continue on Page 6)



to the upper edge of the outer main pouch with pocket. Place the lining rs down, matching the top edge with the top edges of the zipper and main outer pouch. Sew through all 3 layers at 1/4" now go ahead and press those 2 pieces back, away from the zipper, edge stitch close to the zipper at about 1/8th". Repeat the same "sandwich" with the other 2 pouch pieces (main outer and main lining) for the other side of the zipper.




10. Pull all layers away from your zipper, pinching at the top so your zipper teeth are facing up and not showing from the front or back of bag. Pin your pouch through the layers on right and left side of pouch, under top zipper area only-NOT THROUGH VINYL. Now is the time to use the "rounded corner pattern piece" to round out the vinyl layer and trim the excess and clean up around all 3 sides of the pouch ensuring that all sides are flush and all sides match up. Sew through all 5 layers a 1/4" seam.



11. Final Step! Sew on your 31" trim tape around 3 sides of the pouch.

Starting just below the zipper teeth at 1/4" seam- fold and tuck the end of the tape just under the tape, closest to the outer main pouch piece. Sew slowly all the way around the pouch at 1/4", when reaching the other side, fold and tuck again. Finish up by either hand stitching or machine sewing the tape down to the back side of the pouch.



Now the easy part: Fill it and Enjoy!